

# General Risk Assessment Inflatable Football

Date of Assessment:	18/05/2015	Name of Assessor:	Gary MacAlister
Location of Assessment:		Approved by:	Hayley Bell
Affected:	Contractor	Staff	Visitor
			General Public



Low	Minor	Serious	Major	
Red	Red	Red	Red	Inevitable
Yellow	Yellow	Red	Red	Probable
Green	Green	Yellow	Yellow	Possible
Green	Green	Green	Green	Remote

### Risk Rating Matrix

All Risk Assessments must be written by a Competent Person.  
 The Risk Rating should be determined using the matrix set out on the right.  
 Hazards should be assessed before & after determining what the control measures will be.  
 Once a final Risk Rating has been established the rules set out below must be applied.

### Additional Safety Information

Public Liability Insurance must be in place prior to using this equipment.  
 Staff should have access to first aid kit, mobile telephone & emergency contact details.

HAZARD	POTENTIAL INJURY / HARM	RISK	CONTROL	Residual Risk
		Severity vs. Likelihood		
Inflatable football moving / blowing away	Bruising, broken bones, head injury, unconsciousness, death	High	All Inflatables should be anchored / pegged down during use at all times. Use all available anchor points on the inflatable. At times when the wind is a significant hazard, then the activity should cease. (see manufacturers guidelines for recommended limits)	Low
Equipment Failure – Damage whilst in use (users)	Entrapment, Bruising, broken bones, head injury, unconsciousness, death	Medium	All inflatables must be visually checked prior to each use to check for defects or faults. If there are any concerns, the activity must not continue until the issue has been adequately fixed. This may mean cancelling the event if the fault has the potential to cause harm to users.	Low
Equipment Failure – Damage whilst in use (surroundings)	Entrapment, Bruising, broken bones, head injury, unconsciousness, death	Medium	Inflatable must be located on flat ground away from hot objects (fires / BBQ's), power lines, stones, gravel, broken glass or overhanging trees. Football pitch takes up a large area of ground, so ensure the whole area is even and safe.	Low
Equipment Failure – Poor maintenance	Entrapment, Bruising, broken bones, head injury, unconsciousness, death	High	All inflatable equipment should be checked annually in line with PIPA test recommendations ( <a href="http://www.pipa.org.uk">www.pipa.org.uk</a> ). Failure to undertake and record checks on equipment could lead to failure.	Low
Instructors not following set-up instructions	Entrapment, Bruising, broken bones, head injury, unconsciousness, death	Medium	All instructors must have received training on the set-up and use of the inflatable football pitch. It must be set up in accordance with the instruction manual, and not adapted in any way in which to add additional risk to the activity.	Low
Diesel Generators	Burns, Fire, asphyxiation / diesel fumes	Medium	Diesel generators must be tested & serviced each year. Staff must be trained in the use of the generator. Diesel generators are only to be used in outside venues which allow natural ventilation of any fumes. Generator & blower must be located at least 1.2m away from the inflatable.	Low

HAZARD	POTENTIAL INJURY / HARM	RISK	Control	Residual Risk
		Severity vs. Likelihood		
Electrical Generator	Burns, Fire, Electrocutation, electric shock, unconsciousness	Medium	Electrical generators must be Portable Appliance Tested (PAT) at least annually, possibly every 6 month if in heavy use. Visually inspect all wires and plug prior to use for any obvious signs of damage, and do not use if damaged. Only use inside, or outside in dry conditions. Use an RCD for protection.	Low
Collision	Injuries caused to participants, Bruising, broken bones, head injury, unconsciousness, death	High	To be manned by trained staff at all times. Do not exceed the maximum number of users as recommended in the equipment instructions. Rules to be clearly policed by staff, and users ask to leave if these are not being followed. There is a risk of collision between players. To minimise the risk of injury, try not allow larger children or adults to endanger smaller children.	Medium
Slip, Trips and Falls	Injured Caused by falling over pegs, steps, power cables, Burns, Shock, Fire	Medium	Cover any trailing wires with wire covers. Agree a safe route for wiring prior to use at large events or fetes. Do not block any emergency access routes or fire exits. Surrounding mats should be provided at the entrance to the bouncy castle, and these must be in good condition.	Low
Unsupervised use	Entrapment, Bruising, broken bones, head injury, unconsciousness, death	High	If the inflatable football must be left unsupervised at all, then it must be deflated, and left in a way that it cannot be turned on by anyone else.	Low
Manual Handling	Back injury, muscle strain, sprains, hernia	Medium	The inflatable football pitch is heavy, and will require a mechanical aid or a 2 man lift to move from the van to the location of use. DO not attempt to move any heavy objects is they are beyond your personal limits. All staff should receive manual handling training on an annual basis.	Low
Incorrect footwear being worn	Twisted ankle, bruising, slipping injury, broken bones, head injury	Medium	All participants must wear appropriate footwear to play football. No bare feet or flip flops or football boots.	Low
Poor lighting	Entrapment, Bruising, broken bones, head injury, unconsciousness	Medium	Inflatable football requires adequate light, either natural or artificial. Failure for the users to be able to see the equipment during use could lead to an increased risk of accident. If there is insufficient light to run the session, then it must be stopped.	Low
Adverse weather	Slips, trips, falls, bruising, broken bones, twisted ankles	High	If the weather is extreme, then consider cancelling outdoor activities. Ice, snow, rain and dew can all make the floor slippery. Wind will make it harder for individuals to play. Wear appropriate clothing for the conditions.	Medium
Interruption by Unauthorised adults	Abduction, injury from assault	Medium	The session should be monitored to ensure only the children in the care of the club are in the activity area. No unauthorised adults are to join in with the session at any time. Place a barrier or other boundary around the play are to stop easy access to the activity.	Low